

# PRODUCT DATA SHEET P7R Work (C55)





# P7R Work

### PRODUCT DESCRIPTION

This lamp is almost indestructiEle. Water and dust cannot harm the P7R Work thanks to the Flex Sealing Technology (IP68). RuEEer covers and a protective lens shield ensure that impacts and shocks are easily aEsorEed. And finally, the material of the case also proves to Ee resistant to chemicals. The intrinsic values of the P7R Work are just as impressive. Extreme light output, a CRI value of 90 for particularly natural color reproduction, custom light functions, the practical Magnetic Charge System and a diffused white auxiliary light are just some of the features that flank our patented Advanced Focus System.

- Extremely powerful and versatile working flashlight with custom light functions and natural color rendering (CRI 90)
- Rubber covers on the lamp head and end cap protect against impact and offer increased grip; lens shield protects the lens from impact and dirt
- White auxiliary light on the side of the housing for diffuse illumination of the near range

Rechargeable battery

- Advanced Focus System for efficient, precise flood and spot lighting
- Robust charging station also is suitable for mounting in the vehicle or on the Ledlenser 5-Station Charging Panel

TECHNICAL DATA		
Length defocused [mm]	170	
Length focused [mm]	176	
Head diameter [mm]	45	
Tube diameter [mm]	27	
Weight incl. batteries [g]	219	
Weight without batteries [g]	148	
Focus function	Yes	
Head material	Other plastics	
Tube material	Aluminum alloy	
Optic	Plastic lense (PMMA)	
Cartridge	No	

FURTHER SPECIFICATIONS		
IP class	IP68	
Drop test (drop height) [m]	3	
Maximum operating depth [m]	1.5	
Working temperature range [°C]	-20 to +40	

#### LIGHT FUNCTIONS

Blink, Boost, Low Power, Mid Power, Power, Position, S.O.S., Strobe

LIGHT SOURCE	Main	Alternate
Amount LEDs	1	1
LED type	Xtreme LED	Low Power LED
Color	White	White
Color temperature [K]	3700 to 4400	5300 to 7500
Color rendering index (CRI)	90	75

LIGHT VALUES - Main				
ANSI – Constant Light	Boost	Power	Mid Power	Low Power
Light output [lm]	1200	900	390	15
Beamb distance [m]	240	180	115	15
Runtime [h]		2	3.25	60

LIGHT VALUES	- Alte	ernate		
ANSI – Constant Current	Boost	Power	Mid Power	Low Pow
Light output [lm]		1		
CLUTOLI				

#### SWITCH

Front Switch

#### FEATURES

Dimmable , Transportation lock , Flicker Free, Memory Function, Back-Up Light, Chemical Resistant

#### TECHNOLOGIES

Advanced Focus System, Smart Light Technology, Magnetic Charge System, Emergency Light, Temperature Control System, Natural Light, Flex Sealing Technology, Multi-Core Optics



Battery quantity	1
Battery type	Li-ion
Battery replaceable	Yes
Total battery voltage [V]	3.7
Total battery capacity [mAh]	4800
Total battery energy [Wh]	17.76
Rechargeable	Yes
Charging time [min]	270
Energy modes	Constant Light
Energy status indicator	Battery Indicator,
	Charge Indicator,
	Low Battery Warning

## 

# —P7R Work

### ACCESORIES

PRODUCT CATEGORY	ITEM NUMBER	PRODUCT NAME
Pouches / Holster	502268	Pouch Type O
Fastenings / Brackets	0362	Universal Mounting System
Fastenings / Brackets	502251	Lamp Adapter Type D
Fastenings / Brackets	7799-PT	Universal Mounting Bracket Type B
Charger / Cable	502258	Wall Mount Type B
Charger / Cable	502260	Charging Station Type B
Battery	502262	21700 Li-ion Rechargeable Battery 4800mAh
	502127	Powerbank Flex10
Color filter / Signal caps	500958	Signal Cone 42mm
Color filter / Signal caps	502244	Signal Cone W 42mm
Charger / Cable	502265	Magnetic Charging Cable Type A
Charger / Cable	0380	USB Car Charger
Charger / Cable	502271	USB Adapter 2.4A
Charger / Cable	502261	5 Station Charging Panel
Fastenings / Brackets	0409	Mounting plate
Fastenings / Brackets	502246	Adapter for GoPro Type D
Fastenings / Brackets	502247	Tripod Adapter Type D
Fastenings / Brackets	502254	Helmet Mount for Euroslot Type A
Fastenings / Brackets	502253	Belt Clip Type A
Fastenings / Brackets	502255	Flexible Mount Type A
Fastenings / Brackets	502256	Universal Mounting Bracket Type E
Pouches / Holster	502263	Case Type A
Pouches / Holster	502264	Case Type B
Fastenings / Brackets	501033	Magnetic Mount
	502511	Powerbank Flex5

