

PRODUCT DATA SHEET P7R Work UV (C46)





2 - PRODUCT DATA SHEET v210430

P7R Work UV

PRODUCT DESCRIPTION

The P7R Work UV is the perfect tool for professionals. Water, dust, shocks and chemicals cannot harm this robust flashlight at all (IP68). In addition to its powerful light output and a CRI value of 90 for natural color rendering, the light has an additional, high-contrast UV light source on the side of the housing, which can be used for a variety of needs such as checking the authenticity of documents or searching for liquids. The practical Magnetic Charge System and other proven Ledlenser technologies such as Flex Sealing Technology and the patented³ Advanced Focus System finally make the P7R Work UV the first choice for true professionals.

- Extremely powerful and versatile work flashlight with natural color rendering (CRI 90)
- Additional, high-contrast UV light (wavelength: 365 nm) on the side of the housing
- Rubber covers on the light head and end cap protect against impact and offer increased grip; lens shield protects the lens from impact and dirt
- Advanced Focus System for efficient, precise flood and spot lighting
- Robust charging station also is suitable for mounting in the vehicle or on the Ledlenser 5 Station Charging Panel

TECHNICAL DATA	
Length defocused [mm]	170
Length focused [mm]	176
Head diameter [mm]	45
Tube diameter [mm]	27
Weight incl. batteries [g]	219
Weight without batteries [g]	148
Focus function	Yes
Head material	Other plastics
Tube material	Aluminum alloy
Optic	Plastic lense (PMMA)
Cartridge	No

Rechargeable battery
1
Li-ion
Yes
3.7
4800
17.76
Yes
270
Constant Light
Battery Indicator,
Charge Indicator,
Low Battery Warning

FURTHER SPECIFICATIONS		
IP class	IP68	
Drop test (drop height) [m]	3	
Maximum operating depth [m]	1.5	
Working temperature range [°C]	-20 to +40	

LIGHT FUNCTIONS

Blink, Boost, Low Power, Mid Power, Power, Position, S.O.S., Strobe

LIGHT SOURCE	Main	Alternate
Amount LEDs	1	1
LED type	Xtreme LED	UV LED 365nm
Color	White	-
Color temperature [K]	3700 to 4400	
Color rendering index (CRI)	90	

LIGHT VALUES - Main				
Constant Light	Boost	Power	Mid Power	Low Power
Light output ¹ [lm]	1200	900	390	15
Beam distance ¹ [m]	240	180	115	15
Run time ¹ [h]		2	3.25	60

LIGHT VALUES - Alternate			
	Boost	Power	Mid Power Low Power
SWITCH			
Front Switch		•	

FEATURES

Dimmable , Transportation lock , Flicker Free, Memory Function, Back-Up Light, Chemical Resistant, UV Light

TECHNOLOGIES

Advanced Focus System³, Magnetic Charge System, Flex Sealing Technology, Smart Light Technology, Temperature Control System, Natural Light, Multi-Core Optics, Emergency Light



4 - PRODUCT DATA SHEET V210430

P7R Work UV

ACCESORIES

PRODUCT CATEGORY	ITEM NUMBER	PRODUCT NAME
Pouches / Holster	502268	Pouch Type 0
Fastenings / Brackets	0362	Universal Mounting System
Fastenings / Brackets	502251	Lamp Adapter Type D
Fastenings / Brackets	7799-PT	Universal Mounting Bracket Type B
Charger / Cable	502258	Wall Mount Type B
Charger / Cable	502260	Charging Station Type B
Battery	502262	21700 Li-ion Rechargeable Battery 4800mAh
	502127	Powerbank Flex10
Color filter / Signal caps	500958	Signal Cone 42mm
Color filter / Signal caps	502244	Signal Cone W 42mm
Charger / Cable	502265	Magnetic Charging Cable Type A
Charger / Cable	0380	USB Car Charger
Charger / Cable	502261	5 Station Charging Panel
Fastenings / Brackets	0409	Mounting plate
Fastenings / Brackets	502246	Adapter for GoPro Type D
Fastenings / Brackets	502247	Tripod Adapter Type D
Fastenings / Brackets	502254	Helmet Mount for Euroslot Type A
Fastenings / Brackets	502253	Belt Clip Type A
Fastenings / Brackets	502255	Flexible Mount Type A
Fastenings / Brackets	502256	Universal Mounting Bracket Type E
Pouches / Holster	502263	Case Type A
Pouches / Holster	502264	Case Type B
Fastenings / Brackets	501033	Magnetic Mount
	502511	Powerbank Flex5

